

Cyberbond

Boost 6070 MATERIAL SAFETY DATA SHEET

The Power of Adhesive Information
cbTM
Cyberbond

Cyberbond LLC
401 N Raddant Road, Batavia, IL 60510
630.761.8900 tel
630.761.8989 fax
www.cyberbond1.com

1 - Chemical Product and Company Identification

<i>Product Name</i>	Boost 6070	<i>Product Type</i>	Primer
<i>Date Revised</i>	9/1/2010	<i>Emergency Number</i>	800-535-5053

2 - Composition/Information on Ingredients

<i>Hazardous Component</i>	<i>CAS Number</i>	<i>%</i>
Heptane	142-82-5	80-100

<i>Ingredients which Have Exposure Limits</i>	<i>ACGIH (TLV)</i>	<i>OSHA (PEL)</i>	<i>OTHER</i>
<i>Exposure Limits (TWA)</i> Heptane	400 ppm	500 ppm	No data

3 - Hazards Identification

<i>Toxicity:</i>	Possible eye and respiratory irritant. Narcotic at high concentrations. Prolonged inhalation may cause headaches. Moderately toxic by ingestion. Liquid may dry out skin.
<i>Primary Routes of Entry:</i>	Inhalation, ingestion, contact.
<i>Signs of Exposure:</i>	Vapors irritate eyes, nose and throat. Liquid is an eye irritant and may irritate skin.

4 - First Aid Measures

<i>Ingestion:</i>	Give water to dilute. Do not induce vomiting. Keep individual calm and seek medical attention.
<i>Inhalation:</i>	Remove to fresh air. If symptoms persist, obtain medical attention.
<i>Skin Contact:</i>	Wash in warm water
<i>Eye Contact:</i>	Flush in warm water. Seek medical attention.

5 - Fire Fighting Measures

<i>Flash Point:</i>	-4°C (25°F) Method: Tag Closed Cup
<i>Extinguishing Media:</i>	Foam, Dry Chemical, or Carbon Dioxide
<i>Unusual Fire or Explosion Hazards:</i>	None
<i>Special Fire Fighting Procedures:</i>	N/A
<i>Hazardous Products Formed by Fire or Thermal Decomposition:</i>	Irritating Organic Vapors

6 - Accidental Release Measures

Steps to be taken in case of spill or leak: Avoid flame and sparks. Maintain adequate ventilation. Soak up in an inert absorbent and store in a closed container until disposal.

7 - Handling and Storage

<i>Safe Storage:</i>	Keep in a cool, well ventilated area. Store away from ignition sources. Keep container closed.
<i>Handling:</i>	Keep container tightly closed. Avoid contact with skin. Avoid breathing vapors. Do not use around heat, sparks or open flame.

8 - Protective Equipment

<i>Ventilation:</i>	Local exhaust ventilation recommended to maintain vapor level below TLV.
<i>Respiratory Protection:</i>	Not applicable with good local exhaust.
<i>Skin:</i>	Polyethylene or non-reactive gloves.
<i>Eye Protection:</i>	Safety glasses or goggles with side shields.

9 - Physical and Chemical Properties

<i>Appearance:</i>	Clear liquid
<i>Odor:</i>	Aliphatic
<i>Boiling Point:</i>	96-98°C (205-210°F)
<i>Vapor Pressure:</i>	40mmHg @ 20°C (68°F)
<i>Vapor Density:</i>	3.5 Heavier than air
<i>Evaporation Rate:</i>	2.7 (Ether=1)
<i>Specific Gravity:</i>	0.68
<i>Solubility in Water:</i>	Insoluble in water
<i>VOC Content (EPA Method 24):</i>	<95%

10 - Stability and Reactivity

<i>Stability:</i>	Stable
<i>Hazardous Polymerization:</i>	Will not occur
<i>Incompatibility:</i>	Avoid contact with strong oxidizing agents.

11 - Toxicological Information

See section 3

12 - Ecological Information

No data.

13 - Disposal Considerations

<i>Disposal Procedures:</i>	Incinerate or dispose of in an approved landfill in accordance with local and EPA regulations.
-----------------------------	--

14 - Transportation Information

Domestic Ground Transport:

<i>Proper shipping name:</i>	Consumer commodity (not more than one liter) Heptane solutions (more than one liter)
<i>Hazard Class or Division:</i>	ORM-D (Not more than one liter) Class 3, Packing Group II (More than one liter)
<i>Identification Number:</i>	None (Not more than one liter) UN 1206 (More than one liter)

14 - Transportation Information (Continued)International Air Transportation (ICAO/IATA):

<i>Proper shipping name:</i>	Consumer commodity (not more than one liter) Heptane solutions (more than one liter)
<i>Hazard Class or Division:</i>	ORM-D (Not more than one liter) Class 3, Packing Group II (More than one liter)
<i>Identification Number:</i>	None (Not more than one liter) UN 1206 (More than one liter)

Water Transportation (IMO/IMDG):

<i>Proper shipping name:</i>	Consumer commodity (not more than one liter) Heptane solutions (more than one liter)
<i>Hazard Class or Division:</i>	ORM-D (Not more than one liter) Class 3, Packing Group II (More than one liter)
<i>Identification Number:</i>	None (Not more than one liter) UN 1206 (More than one liter)

15 - Regulatory InformationUS Federal Regulations:

<i>TSCA 8b Inventory Status:</i>	The intentional ingredients of this product are listed.
<i>CERCLA/SARA Section 302 EHS:</i>	40 CFR 355 Appendix A: NONE
<i>CERCLA/SARA Section 311/312:</i>	Immediate health hazard, delayed health hazard, Fire
<i>CERCLA/SARA 313:</i>	None above reporting de minimus

International Regulations:

<i>Inventory Status:</i>	Not determined

State and Local Regulations:

<i>CA Proposition 65:</i>	None
---------------------------	------

16 - Other Information

<i>Hazard:</i>	<i>NFPA Hazard Code</i>	<i>HMIS Hazard Code</i>
<i>Health:</i>	2	2
<i>Fire:</i>	3	3
<i>Reactivity:</i>	0	0
<i>Specific Hazard:</i>	N/A	Personal Protection; See Section 8

NFPA is a registered trademark of the National Fire Protection Association.

HMIS is a registered trademark of the National Paint and Coatings Association.

Prepared by: Cyberbond Regulatory Department
Company: Cyberbond LLC
401 N Raddant Road
Batavia, IL 60510
630.761.8900 tel
630.761.8989 fax

